Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Sec. 34.66 PL&R U. S. POSTAGE Located on Jericho Tpke. 1000

OWN ROOT: Rhododendron, Azalea, Andromeda, Holly, Jap. anese Red Maple, Pink Dogwood, Magnolia, Gordonia, Cy-

195.3

press, Juniper, Taxus, Thuja, Tsuga

Permit No. Westbury, L.

feet East of Northern State Jarkway intersection.

O RBT. R WASHI

This cancels all previous quotations. Prices quoted are subject to change without notice and orders are accepted subject to prior sale. Prices quoted per 100 rate each; 10% off on 1000 lots; 20 at 100 rate; 250 at 1000 rate 20% added for less than 20 of a variety. Not Tess than 10 of a variety sold.



JAPANESE MAPLES

Each at

W. C. M. C.	100 rate
	2½"P \$0.75 3½"P 1.25 2½"P 1.00
green) Palmatum dissec. atropurpureum	2 /2 P 1.00
#grandiflora	2½"P .25 3½"P .75

ANDROMEDA (Pieris)

	11 475 47 400 40 47 41	 1	
Andromeda	japonica	 4- 6"	TF \$0.20
Janonica		 9-12"	TTB 1.00
Japonica.		 12-15	B&B 1.50 B&B 2.00
Japonica.		 15-18"	
Floribund	compacta	 2- 3"	TF .15
r tolloulid		 	

WHOLESALE PRICE LIST

SPRING 1953

AZALEAS	Each at 100 rate
Azalea amoena Hardiest red 4-6"	TF \$0.20 TF .20 TF .20 TF .20 TF .25 TF .20 TTB .60 TTB .20 TTB .50 TTB .20 TF .20 TF .20 TF .20 TF .20 TTB .50 TTB .50 TTB .50 TTB .20 TTB .20 TTB .20 TTB .20 TF .25 TF .20 TF .22 TF .20 TF .22
Salmon Beauty, Salmon pink	TF .20 TF .20 TF .20
	TF .20 TTB .60
AZALEA SEEDLINGS—See Seedlings. BERBERIS julianae	2½"P .25
CHAMAECYPARIS (Retinosp	oora)
Chamaecyparis obtusa crippsi 4-6" Obtusa gracilis 4-6" Pisifera 6-8" Pisifera 6-8" Pisifera aurea 6-8" Pisifera aurea 6-8" Pisifera filifera 6-8" Pisifera filifera aurea 6-8" Pisifera filifera aurea 6-8" Pisifera filifera aurea 6-8" Plumosa 6-8" Plumosa 6-8" Plumosa aurea 6-8" Plumosa lutescens 3-5" Plumosa lutescens 3-5" Plumosa lutescens 6-8" Squarrosa veitchi 6-8" CYTISSUS andreanus 6-8" Scoparius 6-8" DOGWOODS Cornus florida fructi lutea 6-8"	2½"P \$0.30 2½"P .30 TBR .15 2½"P .20 TBR .15 2½"P .20 TBR .20 2½"P .25 TBR .20 2½"P .25 TBR .20 2½"P .20 TBR .15 2½"P .20 TBR .15 2½"P .20 TBR .15 2½"P .20 TBR .15 2½"P .30 TBR .30 TBR .30 2½"P .30 TBR .30
Cornus florida fructi lutea	2½"P 50.50 2½"P .50 2½"P .60 2½"P .75 3½"P 1.00 2½"P .60 2½"P .60 2½"P .30 2½"P .30 2½"P .30



DOGWOOD



HOLLY		ch at 0 rate
Ilex altaclarense	2½%"PP22½%"P CBF TTTTFFB TFTTTTFB TF CBF R TF CBF R TF TTFFF R CTFBR TF CTFBR TF CTFBR TF CTFBR TF CTFBR TF CTFBR TF CTFBR TF TF CTFBR TF	\$0.30 .30 .30 .10 .15 .20 .30 .50 .75 1.00 .20 .25 .10 .20 .30 .15 .20 .30 .30 .30 .30 .50 .75 .20 .20 .30 .30 .30 .50 .20 .30 .50 .20 .20 .20 .20 .20 .20 .20 .20 .20 .2
Pendunculosa	2½"P	.30
Juniperus communis andorra	2½"P 2½"P 2½"P 2½"P 2½"P 2½"P 2½"P 2½"P	\$0.20 .20 .30 .20 .20 .20 .20 .25 .30 .30
Catesbaei3-5"	Τ̈́F	.25
Magnolia alba superba 8-12"	2 ½ "P	\$0.60 .60 .75 .50 .60 .45 .80 .90 1.25 .50 .90 1.00
PACHYSANDRA terminalis	CBR	.05
PYRACANTHA coccinea lalandi 4- 6" PIERIS—See Andromeda RETINOSPORA—See Chamaecyparis	2½"P	.30

TAXUS (Yews)	Each at 100 rate
Taxus baccata repandens 3- 5" Baccata repandens 3- 5" Baccata repandens Spread Baccata repandens Spread Cuspidata 4- 6" Cuspidata 6- 8" Cuspidata 4- 6" Cuspidata capitata 6- 8" Cuspidata capitata 6- 8" Cuspidata capitata 6- 8" Cuspidata nana 6- 8" Cuspidata nana 6- 8" Cuspidata nana 6- 8" Intermedia 6- 8" Intermedia 6- 8" Intermedia rosco 4- 6" Intermedia rosco 6- 8" Media hatfieldi 4- 6" Media hatfieldi 6- 8" Media hicksi 4- 6" Media hicksi 6- 8" Media hicksi 6- 8" Media hicksi 9-12" Media hicksi 12-15" Media hicksi 12-15" Media hicksi 12-15"	TBR \$0.15 2\\(\frac{1}{2} \) \(\frac{1}{2} \) P \(\frac{2}{2} \) \(\frac{1}{2} \) P \(\frac{2}{2} \)
	116 1.00
THUJA (Arborvitae) Thuja occidentalis	TBR \$0.15 TTB .25 TTB .35 TBR .15 2½"P .20 TBR .15 2½"P .20 TBR .15 2½"P .22 TBR .15
TRANSPLANTED SEEDLI	NGS
Healthy, Vigorous Plants, 2-4 in. F AZALEA albrechti. Violet red. Japonica. Orange and red shades. Kaempferi. Salmon shades. Mollis. Large flowering orange and red. Mucronulatum. Early rosy purple. Ponticum. Yellow. Poukhanensis. Lavender. Schlippenbachi. Royal pink. PIERIS (Andromeda) floribunda. RHODOENDRON atrosanguinea. Dexter Hybrids (Hardy variety). Charles Dickens. Fortunae Hybrids (Selected). Hybrids (Hand-pollinated, best reds). RHODODENDRON SPECIES, Carolina.	ligh \$0.20
wing the cold winds of	

Braving the cold winus early Spring-Magnolias bloom abundantly for several weeks.

As specimens on the lawn or in combination with flowering shrubs and trees,
Magnolias are attractive through the year.

4



VIR II MAN Each at	
Viburnum burkwoodi 4- 6" 2½"P \$0.25 *Burkwoodi 8-12" 3½"P .75 Carlesi 4- 6" 2½"P .35 *Carlesi 6-10" 3½"P .90 Juddi 4- 6" 2½"P .40 *Juddi 6-10" 3½"P 1.00 Plicatum 4- 6" 2½"P .25 Rhytidophyllum 4- 6" 2½"P .30 Theiferum 4- 6" 2½"P .20	

CULTURAL AID FOR LINING OUT STOCK

ALL BARE ROOT and the following potted material should be planted in beds provided with lath or other suitable shading. Andromeda, Azalea, Gordonia, Leucothoe, Ilex, Magnolia, Berberis, Cotoneaster, etc.

FOR ACID LOVING PLANTS, soil in beds should be enriched with acid leaf mold and decomposed cow manure. Other stock will be greatly aided by aged manure. Peat Moss and screened sand, incorporated with heavy soil, will encourage good root action.

ALL POTTED PLANTS such as Chamaecyparis, Juniperus, Taxus. Thuja, etc. may be lined out in Spring and Early Summer in previously prepared fields.

WATERING is important unless planting coincides with a natural rainfall. A good watering at time of planting is advisable, if at wall possible. This is to be followed by one or two waterings. During June and July, the beds should be watered but the watering should be tapered off during the latter part of August to prevent late soft growth.

CULTIVATING during summer months is advisable and will be of great help where water is not available.

FEEDING with well rotted manure, as previously stated, should be done at planting time. No stimulant should be applied the first year. If used later, apply early enough to allow growth to harden before frost

WINTER PROTECTION. Most of the plants will not need shade during late summer, but replacing shading on the beds for winter months is advisable if at all possible.

MULCHING is advisable to prevent heaving and winter injury. Oats broadcasted in September, will form a good mulch in regions where oats winter kills. Oats also check annual grass and chickweed

TERMS

PRICES: F.O.B. Westbury, N. Y.

PACKING: At cost.

SHIPPING: To destination at cost and risk of purchaser. Mode—at sellers discretion unless otherwise instructed.

CERTIFICATE: By USDA furnished.

CONDITIONS: As per our current terms, copy of which will accompany each order and be a part thereof.


PAYMENT: All or 25% with order. Balance before delivery. On orders \$25 or less add 20% service charge and CASH with order.

KEY

B—Soil Ball
B&B—Ball & Burlap
BR—Bare Root
P—Potted
T—Times Transplanted
F—Flatted
C—Rooted Cuttings

S—Seedlings OR—Own Root





RHODODENDRON HYBRIDS

Sold Only in Multiples of 20
RHODODENDRON Roseum Elegans.
Mauve pink, best landscape plant\$70.00 Per 100
Mauve pink, best landscape plant
The following Rhododendrons are \$85.00 per 100
Rhododendron album elegans
GiganteumRose red
F. D. Godman
Ignatius Sargent
Lee's Dark PurplePurple
Parson's GloriosumLilac, large truss
Purpureum elegans
Roseum PinkPink, good landscape plant
Roseum SuperbumSoft pink, late bloomer
The following Rhododendrons are \$100.00 per 100
Rhododendron album grandifloraWhite, medium grower
Roule de Neige White, dwarf
Catawbiense album
Chas. Bagley
Dr. Dresselhuys
Dr. Rutgers Aniline red, crimson throat
Ed. S. Rand
Fastuosum fl. plLavender
KettledrumRed, spreading habit
Lady Armstrong
Mrs. P. den Ouden
We also grow a limited amount of many other varieties of Named Hybrid Rhododendrons, and invite your inquiries.
Each at
Rhododendron—Small-leaved Varieties 100 rate
Wilsoni. Rose pink, dwarf
Arbutifolium. Glossy foliage, blush4-6" .45



Transplanted Seedlings—Rhododendron Hybrids Each at 100 rate Rhododendron, Charles Dickens \$0.18 Atrosanguinea 18 Dexter Hybrids (Hardy variety) 18 Fortunae Hybrids (Selected) 18 Hybrids (Hand-pollinated, best reds) 25 Carolina (Species) Seedling 15 SARCOCOCCA humilis 3- 4" 2½"P .25 STEWARTIA pseudocamellia 4- 6" 2½"P .40

£

	TSUGA	(Hemlock)	
Tsuga canadensis Canadensis Canadensis (hea		4- 6" 6- 9" 15-18"	TBR .15

